

Data Sheet | Item Number: 282-409

Jumper; insulated; gray

<https://www.wago.com/282-409>



Color: ■ gray

Electrical data		
Rated current		41 A

Physical data		
Width		16 mm / 0.63 inches
Height		8 mm / 0.315 inches
Depth		24.6 mm / 0.969 inches

Material data		
Color		gray
Material group		I
Insulation material (main housing)		Polyamide (PA66)
Flammability class per UL94		V0
Fire load		0.097 MJ
Weight		6.5 g

Commercial data		
Product Group		1 (Rail Mounted Terminal Blocks)
PU (SPU)		100 (25) pcs
Packaging type		Box
Country of origin		DE
GTIN		4044918255356
Customs tariff number		85366990990

Product Classification	
UNSPSC	39121410
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 10.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Environmental requirements	
Processing temperature (min.)	-35 °C
Processing temperature (max.)	85 °C
Processing temperature	-35 ... +85 °C
Continuous operating temperature from	-60 °C
Continuous operating temperature up to	105 °C
Continuous operating temperature	-60 ... +105 °C

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 282-409


↓

Documentation			
Bid Text			
282-409	19.02.2019	xml 2.51 KB	↓
282-409	28.04.2017	doc 23.50 KB	↓

CAD/CAE-Data	
<div>CAD data</div> <div>2D/3D Models 282-409<div>↓</div></div>	<div>CAE data</div> <div><div>EPLAN Data Portal 282-409<div>↓</div></div><div>WSCAD Universe 282-409<div>↓</div></div><div>ZUKEN Portal 282-409<div>↓</div></div></div>

Installation Notes

Commoning



Additional commoning possible with circuit-related adjacent jumpers or testing option via test plug adapter (209-170) on transformer side.